

id 6428

## Буксир

[2011 DP2 ANTS OSV - 100 т л.с. / 8000 л.с. на продажу](#)

Идентификатор корабля	6428
Категория	<a href="#">Буксир</a>
Класс	ABS
Год постройки	2011
Флаг	Маршалловы острова
Цена	\$3,200,000
Дата добавления корабля	2022-10-13
Добавлено	<a href="#">Horizon Offshore Services</a>

## Размеры корабля

Длина габаритная (LOA), м	67.4
Глубина, м	7
Осадка судна, м	5.9

## Дополнительная информация

Главный двигатель	.....2 x 4000bhp
Самоходный	
Колоды	1

Похожие корабли	<a href="#">Показать похожие корабли</a>
Запросы	<a href="#">Соответствие запросов на закупку</a>
Эл. почта	<a href="#">Отправить электронное письмо</a>



Ref: 04202

**DP2 AHTS VESSEL AVAILABLE FOR SALE**



**Key Features:**

- DP2
- 420m<sup>2</sup> Deck Space
- 8000 BHP
- 100T Bollard Pull

**DP2 AHTS**

**Class Notation:** #B1, Towing Vessel, Fire Fighting Vessel Class L, Offshore Support Vessel, #L, # AHTS, # AHTS, # OPS-2  
**Place of Build:** China  
**Year of Build:** 2011  
**Flag:** Marshall Island

**Main Particulars:**  
**Design:** Custom Vts and Associates  
**LDA:** 67.00m  
**Breadth:** 14.00m  
**Depth:** 7.00m  
**Max Loaded Draft:** 5.90m

**Performance:**  
**Max Speed:** 13 knots  
**Engine(s) Speed:** 7.4 rpm  
**Bollard Pull:** 100T BP

**Capacity:**  
**Displacement:** 2100 tons  
**Onboard Powerage:** 2000 kW  
**Deck Load:** Approx. 800 Tons  
**Crane Deck Dim:** 30m x 14m  
**Deck Area:** 420m<sup>2</sup>  
**Deck Strength:** 15.0m<sup>2</sup>  
**Dry Bulk Capacity:** 4 x 12.5m<sup>3</sup>  
**Dist / Ballast Water:** 780m<sup>3</sup>  
**Portable Water:** 230m<sup>3</sup>  
**Oil Storage/Used:** 300m<sup>3</sup>  
**Waste:** Sewage Tanks w/ OBM  
**Fuel Oil:** 1100m<sup>3</sup>  
**Foremast Room:** 30m<sup>3</sup>  
**Cooker Room:** 12m<sup>3</sup>

**Deck Equipment:**  
**Capstans:** 2 x 20T @ 15m/min  
**Rigger Winch:** 1 x 10T @ 15m/min  
**Deck Crane:** 2T @ 14m  
**Rescue Boat:** 1 x 8 persons

**Accommodation:**  
**Crew/Pass:** 10T @ 15m/min

**Discharge:**  
**Wash Water:** 1 x 80m<sup>3</sup>/hr @ 100m  
**Ballast / Dist Water:** 1 x 50m<sup>3</sup>/hr @ 100m  
**Dry Bulk:** 2 x 100m<sup>3</sup>/hr @ 100m  
**Liquid Mud / Slime:** 1 x 80m<sup>3</sup>/hr @ 80m  
**Feed Oil:** 1 x 80m<sup>3</sup>/hr @ 70m

**Propulsion and Main Drive:**  
**HP:** 8000hp  
**Main Engines:** 2 x 8000hp  
**Main Engines: Make / Type:** Wipac W6L2000 / P  
**Propellers:** 2 x CPP with four blades

**Thruster:**  
**Wts:** 2 x 6.0m<sup>3</sup> Thrust  
**Tank:** 1 x 6.0m<sup>3</sup> Thrust

**Auxiliary Engines:**  
**Wts/Generator:** 2 x 150 kW  
**Power Generator:** 2 x 150 kW  
**Emergency Generator:** 1 x 15 kW  
**Supply System - Voltage:** 400V/3Ph/3W

**Accommodation:**  
**Single Berth Cabins:** 6 x 1 berths  
**Double Berth Cabins:** 2 x 2 berths  
**Triple Berth Cabins:** 8 x 1 berths  
**Total Accommodation:** 42 berths  
**Wts:**

**Towing and Anchor Handling Wts:**  
**Wts/HP:** 200m<sup>3</sup>  
**Brake Capacity:** 800HP  
**Towing Drum:** 1200m x 40mm  
**Anchor Handling Drum:** 1200m x 40mm  
**Spool:** 2 x 1.40m/ton  
**Shank Use:** 300T SWL  
**Towing Pin:** 300T SWL  
**Shank Wire-Rope:** 1200m x 40mm  
**Wires Ropes:** 300T SWL, 4.0m x 2.0m

**Specialty Positioning System:**  
**DP System:** Comprehensive DP-2 System  
**DP-2:** DP-2  
**Reference:** 2 x DGPS + Compass

This technical specifications are for general guidance only and is subject to change without notice. Please Contact

accepts no responsibility, and disclaims all liability for any errors and/or omissions in this specification. The vessel is always offered on "as is, where is" basis.